



Reliable and Safe Pumps for the Marine Industry

Product Overview, Technology and Applications


Pumps & Systems

NETZSCH Global Network Pumps & Systems

ALWAYS CLOSE



TO OUR CUSTOMERS



Your Application –

Our Solution

To succeed in the increasingly competitive global maritime markets, the shipping industry is facing fundamental challenges such as the automation and digitalization of products and services, production and logistics processes, marine safety, and increasing requirements in the field of environmental and climate protection. NETZSCH sees itself as a partner to meet these requirements successfully. With the modern pump technology from NETZSCH, you benefit from environmentally friendly and efficient pumping processes and a pump design that is easy to service and maintain thanks to clever technology.

We offer you the ideal pump for every application from our extensive product range:

Waste water:

NEMO® and TORNADO® pumps
N.Mac® grinder and M-Ovas® macerator

Lube oil pumps for hydraulic units:

NOTOS® pump 2NS and 3NS series

Water oil separator:

NEMO® pump

Ballast/wastewater:

NEMO® and TORNADO® pumps

Oil sludge:

NEMO® and TORNADO® pumps

Bilge:

NEMO® and PERIPRO™ pumps

Lube oil pumps for engine rooms

diesel/HFO injection to engines:

NOTOS® pump 2NS and 3NS series

Bunkering pumps for loading/ unloading fuel oil:

NOTOS® pump 2NS and 4NS series

Transfer pump for diesel and fuel oil:

NOTOS® pump 2NS and 3NS series

Lube oil pump for steering gears and pitch propellers:

NOTOS® pump 3NS series

Alternative fuel:

NEMO® pump and NOTOS® pump

VARIOUS PRODUCTS FOR MARITIME APPLICATIONS

NOTOS® Multi Screw Pumps

The NOTOS® multi screw pump family comprises three series in various designs for maritime applications. They are particularly suitable for shipbuilding as they are incredibly well suited for lubricating fluids such as fuel oil and lube oil



2 NS – Two Screw Pump

- Flow rates up to 2,860 gpm / 650 m³/h
- Pressure up to 230 psi / 16 bar
- Temperature up to 570 °F / 300 °C
- Viscosity up to 100,000 cSt



3 NS – Three Screw Pump

- Flow rates up to 1,760 gpm / 400 m³/h
- Pressure up to 2,300 psi / 120 bar
- Temperature up to 570 °F / 300 °C
- Viscosity up to 15,000 cSt



4 NS – Geared Twin Screw Pump

- Flow rates up to 13,200 gpm / 3,000 m³/h
- Pressure up to 1,160 psi / 80 bar
- Temperature up to 750 °F / 400 °C
- Viscosity up to 200,000 cSt

A PRODUCT PORTFOLIO THAT MEETS YOUR NEEDS ON THE SHIP

Multi-layered technologies

As a global specialist in complex fluid handling, we offer 4 different pump technologies. So we can give you unbiased advice to find the best pump and additional equipment for your application.

NEMO® Progressing Cavity Pump

- Flow rate up to 4,400 gpm / 1,000 m³/h
- Pressure up to 4,350 psi / 240 bar
- Pumping high-viscosity fluid
- Transferring fluid of multiphase mixture with liquid, gas, and solids
- Pumping fluids containing abrasive solids
- Flow rate is in direct proportion to pump revolution speed
- High discharge pressure
- Dry running protector is optional



NEMO® pump with "Full-service-in-place" technology: the large removable inspection cover generously opens the pump room for maintenance, and in addition with the xLC® stator adjustment system for tripling the service life.

PERIPRO™ Peristaltic Pump

- Flow rates from 0.01 gpm to 175 gpm / 2.2 l/h to 40,000 l/h
- For pressures up to 145 psi / 10 bar
- Excellent resistance to abrasion
- No valves or mechanical seals
- Indefinite dry running
- Up to 70 % solids in conveyed product



for optimal fluid management

TORNADO® Rotary Lobe Pump

- Flow rate up to 4,400 gpm / 1,000 m³/h
- Pressure up to 145 psi / 10 bar
- Compact design
- Pumping multiphase mixtures containing solids, fluids and gas
- High self-priming ability
- Even withstands dry-running for a certain time
- Front cover can be opened quickly, easy for maintenance



N.Mac® and M-Ovas® Macerators

- Grinding and cutting large and solid particles
- Installation into effluent channels or flange assembly
- Avoid blocking of pump, pipeline and subsequent equipment
- With cleaning port, easy for maintenance or with optional cleaning comb for fibrous material



Where NETZSCH Products Can Be Used

As a global partner for complex fluid management, we at NETZSCH Pumps & Systems will work with you to find a customized and sophisticated pump solution for your individual application. We promise you Proven Excellence - outstanding performance in all areas.



Cruise Ships

- NEMO® progressing cavity pump or TORNADO® rotary lobe pump: Used for sewage transfer
- NOTOS® 2NS and 3NS multi screw pump: Used for lube oil and fuel oil transfer, mainly in engine room
- N.Mac® Macerator: Mainly used for grinding & cutting any big & hard objects during transferring sewage



Gas Tanker

- NEMO® progressing cavity pump or TORNADO® rotary lobe pump: Used for transferring waste oil, sludge oil and oily water
- NOTOS® 2NS and 3NS multi screw pump: Mainly used for main engine lubrication system to circulate lube oil



Ocean Work Vessel (Platform Supply Vessel)

- NEMO® progressing cavity pump or TORNADO® rotary lobe pump: Mainly used to transfer and circulate slurry
- NOTOS® 2NS and 3NS multi screw pump: Mainly used for transfer of lube oil and fuel oil
- PERIPRO™ Peristaltic Pumps or NEMO® progressing cavity pump: Mainly used to transfer bilge



Container Vessel

- NEMO® progressing cavity pump or TORNADO® rotary lobe pump: Used for transfer of waste oil, sludge oil, oily water and sewage
- NOTOS® 2NS and 3NS multi screw pump: Mainly used as hydraulic pump, winch pump, and to transfer lube oil
- NOTOS® 2NS and 3NS multi screw pump: Mainly used to transfer fuel oil & lube oil for the main engine



Bulk Carrier

- NEMO® progressing cavity pump or TORNADO® rotary lobe pump: Used for transfer of waste oil, oily water and sewage
- NOTOS® 2NS and 3NS multi screw pump: Mainly used for transfer of oil and lube oil
- NOTOS® 4NS multi screw pump: Mainly used for transferring heavy oil and loading/unloading oil

Examples – NETZSCH Products Specific Applications



NEMO® pumps to transfer kaolin on board



NEMO® pump to transfer sludge



NEMO® pumps wastewater



NEMO® pumps for marine ready to be delivered



NOTOS® pumps for lube oil transfer



NOTOS® pumps to transfer lube oil to bearings



NEMO® pumps for magnesium oxide MgO (scrubber system)



TORNADO® pump for sewage water

With the worldwide implementation of common standards following ISO 9001 and many others, we guarantee the highest quality at each production site within the NETZSCH organisation.


Qualification

Certificates & Documentation



NETZSCH ensures highest international standards

- DNV-GL (Det Norske Veritas – Germanischer Lloyd)
- ABS (American Bureau of Shipping)
- CCS (China Classification Society)
- BV (Bureau Veritas)
- RINA (Registro Italiano Navale)
- IRS (Indian Register of Shipping)



The NETZSCH Group is an owner-managed, international technology company with headquarters in Germany. The Business Units Analyzing & Testing, Grinding & Dispersing and Pumps & Systems represent customized solutions at the highest level. More than 4,000 employees in 36 countries and a worldwide sales and service network ensure customer proximity and competent service.

Our performance standards are high. We promise our customers Proven Excellence – exceptional performance in everything we do, proven time and again since 1873.

The NETZSCH Business Unit Pumps & Systems offers with NEMO® progressing cavity pumps, TORNADO® rotary lobe pumps, NOTOS® multi screw pumps, PERIPRO™ peristaltic pumps, macerators/grinders, metering technology and equipment custom built and challenging solutions for different applications on a globally.

Proven Excellence.

NETZSCH Pumps USA
119 Pickering Way
EXTON, PA 19341
Tel.: 610 363-8010
Fax: 610 363-0971
npa@netzsch.com

NETZSCH Pumps USA
1511 FM 1960 Road
Houston, TX 77073
Tel.: 346 445-2400
npa@netzsch.com

NETZSCH Canada, Incorporated
500 Welham Road
Barrie, ON L4N 8Z7
Canada
Tel.: 705 797-8426
Fax: 705 797-8427

BLUECOMPETENCE
Alliance Member

Partner of the Engineering Industry
Sustainability Initiative

NETZSCH®

pumps-system.netzsch.com